

TIKKA

ANTHEM

Nature always has the upper hand. You aren't as fast as the animals and you can't see as far and clear as they do. The animal smells you and hears you before you even know they're there.

You have to learn their ways. You have to outthink the animal you're hunting by knowing where they come from and anticipate where they are going.

You can do everything right and still fail. Even the best hunter can end up empty-handed.

But you're the hunter. There's something you can do. You can never give up.



EXPERIENCE

Those who succeed, never turn back. You can keep going.

You can create the right place and the right time.

Because you know what every Tikka shooter knows: That you can trust your rifle. You can be confident it will handle the same forces that you can.

Whatever the situation or circumstance, all you have to do is concentrate on your shot.

Your Tikka rifle is the ultimate tool for accuracy.

Tikka is second to none.



TIKKA 2018 – EXPLORE THE BEST OF BOTH WORLDS

2017 was a successful year for us at Tikka. The launch of the Tikka T3x Tac A1 was extremely well-received and in 2018, we're broadening our selection with Tikka T1x, the only rimfire rifle you'll ever need.

Our product family now includes the rimfire caliber option many have been asking for. Never settling for the ordinary, we've made sure that the brand new Tikka T1x is made with the same uncompromising craftsmanship that defines our famous centerfire rifles.

The T1x offers the same high-quality, unparalleled comfort and razor-sharp accuracy at the range or in rough terrain, letting you experience the best of both worlds. Our new rimfire rifle is also compatible with most T3x accessories, so you can effortlessly adapt to the situation at hand.

And as always, we keep working tirelessly to ensure that the Tikka brand offers best-in-class value for every sport shooter and hunter.

Get ready to enter the world of Tikka!



MADE IN FINLAND

Revered all over the world.

All Tikka rifles are engineered and manufactured by Sako, in Finland. We take pride in our products and deliver what we promise. Every Tikka rifle has to group three shots under one inch at a distance of 100 m prior to being sold anywhere. Tikka rifles are both innovative and durable, but most importantly, they can be relied on under any circumstances.

A rifle comes with a purpose – to successfully hit the target. When it comes to accuracy and performance, Tikka is second to none.







TIKKA T3x SERIES

THE ULTIMATE TOOL FOR ACCURACY

SAFETY

Tikka rifles provide you with a two-stage safety, blocking both the trigger and bolt handle. The safety is easy to operate and indicates when the rifle is ready for firing.

ACTION

The action is designed for accuracy, reliability and easy servicing. Tikka rifles provide you with an extremely rigid action with a two-locking lug T3 bolt. The bolt features a spring-loaded plunger ejector and a removable bolt handle, with a 70° opening angle leaving plenty of room for handling the bolt. This is one of the smoothest actions on the market.

STOCK

SIGHTS

Most rifles are delivered without open sights; they are optional. Integral rails are installed on top of the receiver

also tapped for a Picatinny scope mount base.

for Tikka's unique Optilock™ scope mounts. The receiver is

The T3x stock is designed to be light and durable. Carefully engineered use of walnut or fiberglass-reinforced synthetic materials guarantee solid performance. An optional recoil pad system with spacers provides adjustability in length of pull. Grip patterns are carefully designed for added comfort and a firm grip.

BARREL

A cold hammer-forged Sako barrel of highest-grade steel is fastened to the receiver by a sturdy thread for safety and accuracy. Barrel is hand-crowned, as a precise and even muzzle crown is essential for accuracy.

The Tikka T3x contains the same features that have made all Tikka rifles world-famous. When you have a Tikka rifle, you know it is second to none.



MAGAZINE

The single-column detachable magazines are manufactured from strong fiberglass-reinforced synthetic material. The magazine holds 3, 5 or 6 rounds depending on the model and caliber. A flush release is installed at the front of the magazine to prevent accidental releases.

TRIGGER

A single-stage pull with a comfortable trigger feel. The steel trigger has vertical grooves for added grip, even when wearing gloves. It is easily adjustable through the magazine well from 1 to 2 kg (2 to 4 lbs).

TIKKA T3x SERIES

THE BEST OF EVOLUTION

Features and improvements – you wished, we listened.



IMPROVED RAIL ATTACHMENT —

Always keep the target in your sight.

The T3x models have extra screw placements on top of the receiver so that you can robustly attach a Picatinny rail – even when using larger scopes.

REDESIGNED EJECTION PORT

The new T3x receiver introduces a widened angular ejection port that makes it easier to feed one cartridge at a time.



T3x has a new modular synthetic stock that has interchangeable pistol grips, making it possible to modify the angle of the grip. This allows for multiple shooting positions. Additional grips are sold separately.

The T3x synthetic stock also has an additional attachment point which allows you to change the width of the stock's fore-end.



T3x models come with a new recoil pad technology that reduces the impact of recoil on the shooter. The new robust pad allows you to fully concentrate on the accuracy of your shots.

to give a solid grip in all conditions.

IMPROVED BOLT SHROUD

Robustness and quality go hand in hand. Our T3x models come with a durable metallic bolt shroud that covers and shields the rear of the bolt body and the firing pin.



STOCK NOISE REDUCTION

Be as silent as the forest. T3x synthetic stocks now have a foam insert within the interior of the rear stock. This lowers the stock-generated noise and can help you keep your target in sight. Not available for models with an adjustable cheek piece.

T3x HUNTER IS AVAILABLE IN DIFFERENT VARIATIONS

Caliber options: 204 Ruger | 222 Rem | 223 Rem | 22-250 Rem | 243 Win | 260 Rem | 7mm-08 Rem | 308 Win | 6.5 Creedmoor | 25-06 Rem | 6.5x55 SE | 270 Win | 7x64 | 30-06 Sprg | 8x57 IS | 9.3x62 | 7mm Rem Mag | 300 Win Mag | 338 Win Mag | 270 Win Short Mag | 300 Win Short Mag

Caliber options: 204 Ruger | 222 Rem | 223 Rem | 22-250 Rem | 243 Win | 260 Rem | 7mm-08 Rem | 308 Win | 6.5 Creedmoor | 25-06 Rem | 6.5x55 SE | 270 Win | 30-06 Sprg | 8x57 IS | 9.3x62 | 7mm Rem Mag | 300 Win Mag | 338 Win Mag | 270 Win Short Mag | 300 Win Short Mag

Caliber options: 204 Ruger | 222 Rem | 223 Rem | 22-250 Rem | 243 Win | 260 Rem | 7mm-08 Rem | 308 Win | 6.5 Creedmoor | 25-06 Rem | 6.5x55 SE | 270 Win | 7x64 | 30-06 Sprg | 7mm Rem Mag | 300 Win Mag | 270 Win Short Mag | 300 Win Short Mag

Caliber options: 204 Ruger | 222 Rem | 223 Rem | 22-250 Rem | 243 Win | 260 Rem | 7mm-08 Rem | 308 Win | 6.5 Creedmoor | 25-06 Rem | 6.5x55 SE | 270 Win | 30-06 Sprg | 7mm Rem Mag | 300 Win Mag | 270 Win Short Mag | 300 Win Short Mag

T3x HUNTER

T3x HUNTER
STAINLESS

T3x HUNTER
FLUTED BARREL

T3x HUNTER
STAINLESS FLUTED BARREL





Caliber options: 204 Ruger | 222 Rem | 223 Rem | 22-250 Rem | 243 Win | 260 Rem | 7mm-08 Rem | 308 Win | 25-06 Rem | 6.5x55 SE | 270 Win | 30-06 Sprg | 8x57 IS | 9.3x62 | 7mm Rem Mag | 300 Win Mag | 338 Win Mag | 270 Win Short Mag | 300 Win Short Mag

T3x LITE

STAINLESS

With the metal parts made of Sako's high-grade stainless steel, this is a sturdy and long-lasting choice for all weather conditions.

T3x LITE ADJUSTABLE

The perfect choice for hunters who want to be able to adjust the cheek piece and length of pull, especially in low-light conditions. The built-in option of being able to raise the cheek piece optimizes optics.

Caliber options: 204 Ruger | 222 Rem | 223 Rem | 22-250 Rem | 243 Win | 260 Rem | 7mm-08 Rem | 308 Win | 6.5 Creedmoor | 25-06 Rem | 6.5x55 SE | 270 Win | 7x64 | 30-06 Sprg | 8x57 IS | 9.3x62 | 7mm Rem Mag | 300 Win Mag | 338 Win Mag | 270 Win Short Mag | 300 Win Short Mag



T3x LITE When compromise is not an option. T3x Lite combines high performance with lightweight ease. The Lite models are equipped with the T3x synthetic stock and all new modular features. These models come with the classic low-angled grip. T3x LITE The classic T3x Lite has a blued barrel and all-black stock. Caliber options: 204 Ruger | 222 Rem | 223 Rem | 22-250 Rem | 243 Win | 260 Rem | 7mm-08 Rem | 308 Win | 6.5 Creedmoor | 25-06 Rem | 6.5x55 SE | 270 Win | 7x64 | 30-06 Sprg | 8x57 IS | 9.3x62 | 7mm Rem Mag | 300 Win Mag | 338 Win Mag | 270 Win Short Mag | 300 Win Short Mag **510** 3/4 2.7-2.9 570 620 ROUNDS KG AVAILABLE AS LEFT-HANDED BARREL LENGTH MAGAZINE CAPACITY WEIGHT VARIES BY CALIBER

T3x LAMINATED **STAINLESS**

Weather can change in minutes, but the accuracy and performance of this rifle lasts for years.

Tikka T3x laminated stainless is a weather-resistant. sharp-looking grey stock for the adventurous hunter. T3x Laminated Stainless is designed to withstand demanding weather conditions.

To achieve this, the Laminated Stainless model comes with a stainless steel barreled action and hard-laminated stock. Compared to normal wood, the laminated wood cell structure does not expand during changing weather conditions. This will minimize the change in point of impact from where the rifle was zeroed.

Caliber options: 204 Ruger | 222 Rem | 223 Rem | 22-250 Rem | 243 Win | 260 Rem | 7mm-08 Rem | 308 Win | 6.5 Creedmoor | 25-06 Rem | 6.5x55 SE | 270 Win | 30-06 Sprg | 9.3x62 | 7mm Rem Mag 300 Win Mag | 338 Win Mag | 270 Win Short Mag | 300 Win Short Mag

510 570 620

3/4 ROUNDS

3.0-3.2

T3x CAMO **STAINLESS**

As a hunter you are a part of nature.

With the T3x camo stainless you'll get there before the animals can see you. T3x camo stainless is for the hunter who wants to blend in to his surroundings.

The T3x Camo features a camo-coated (Realtree Xtra®) synthetic stock with all the other advanced T3x features. The barrel is made of non-reflective stainless steel.

Caliber options: 204 Ruger | 222 Rem | 223 Rem | 22-250 Rem | 243 Win | 260 Rem | 7mm-08 Rem 308 Win | 6.5 Creedmoor | 25-06 Rem | 6.5x55 SE | 270 Win | 30-06 Sprg | 8x57 IS | 9.3x62 | 7mm Rem Mag | 300 Win Mag | 338 Win Mag | 270 Win Short Mag | 300 Win Short Mag



BARREL LENGTH

ROUNDS

2.7-2.9

MAGAZINE CAPACITY

WEIGHT VARIES BY CALIBER

BARREL LENGTH

MAGAZINE CAPACITY

WEIGHT VARIES BY CALIBER





T3x BATTUE

You can never be as fast as the animals, but with the right tool you'll have the upper hand.

The short-barreled Tikka T3x Battue is designed specifically for fast target acquisition situations. The perfectly balanced and highly visible battue sights with TruGlo® optic fibers enable fast and easy aiming.

With the addition of a rifle scope and
OptilockTM scope mounts, the T3x

Battue has the accuracy to reach game at longer distances.

The Tikka T3x Battue rifles are built for hunting situations where the game is running or in motion, enabling easy targeting over relatively short distances.

The T3x Battue is the top choice for hunters who trek and hunt in heavy-cover territories.

Caliber options: 308 Win | 7x64 | 30-06 Sprg | 8x57 IS | 6.5 Creedmoor | 9.3x62 | 300 Win Mag | 300 Win Short Mag

510 MM

3 ROUNDS

MAGAZINE CAPACITY

3.1 KG

T3x BATTUE LITE The Tikka T3x Battue Lite shares the same special features as the Battue model. The fiberglass-reinforced modular T3x stock makes the rifle more lightweight and adds the possibility to modify the rifle for different situations. Caliber options: 308 Win | 7x64 | 30-06 Sprg | 8x57 IS | 6.5 Creedmoor | 9.3x62 | 300 Win Mag | 300 Win Short Mag **510** MM ROUNDS KG BARREL LENGTH MAGAZINE CAPACITY



Caliber options: 204 Ruger | 222 Rem | 22-250 Rem | 243 Win | 260 Rem | 7mm-08 Rem | 308 Win | 6.5 Creedmoor | 25-06 Rem | 6.5x55 SE | 270 Win | 30-06 Sprg | 9.3x62 | 7mm Rem Mag | 300 Win Mag | 338 Win Mag | 270 Win Short Mag | 300 Win Short Mag

Caliber options: 204 Ruger | 222 Rem | 223 Rem | 22-250 Rem | 243 Win | 260 Rem | 7mm-08 Rem | 308 Win | 6.5 Creedmoor | 25-06 Rem | 6.5x55 SE | 270 Win | 30-06 Sprg | 9.3x62 | 7mm Rem Mag | 300 Win Mag | 338 Win Mag | 270 Win Short Mag | 300 Win Short Mag

T3x VARMINT

The classic T3x Varmint.
Also available as left-handed.

T3x VARMINT

STAINLESS

A barrel and action made of stainless steel with a satin matte finish.

Also available as left-handed.

T3x SUPER VARMINT

This stainless steel version has an adjustable cheek piece and Picatinny rail on top of the receiver for quick and effortless scope mounting.

Caliber options: 204 Ruger | 222 Rem | 223 Rem | 22-250 Rem | 243 Win | 260 Rem | 7mm-08 Rem | 308 Win | 6.5 Creedmoor | 25-06 Rem | 6.5x55 SE | 270 Win | 30-06 Sprg | 9.3x62 | 7mm Rem Mag | 300 Win Mag | 338 Win Mag | 270 Win Short Mag | 300 Win Short Mag









AVAILABLE AS LEFT-HANDED

BARREL LENGTH

MAGAZINE CAPACITY

WEIGHT



FORE-END

- Interchangeable fore-end interface
- 13.5" M-LOK fore-end
- QD fore-end mounting
- Rigid fore-end with optimal wall thickness to prevent bending

REAR STOCK

- Adjustable cheek piece with adjustable angle
- Soft recoil pad, height adjustable
- LOP spacers with inclination
- Machined aluminum frame
- Picatinny attachment for monopod
- QD rear mount










TIKKA **ACCESSORIES**

Customize your Tikka rifle to suit your purpose with our new Tikka accessories.

Enhance your Tikka experience with our wide range of accessories, available in original Tikka accessory bags. Your Tikka rifle has been designed to be adaptable, so you can really make it yours. Contact your local dealer for more information about our range of accessories.



NORMAL PISTOL GRIP

VERTICAL PISTOL GRIP

Available color variations: desert, grey, orange and green. Soft-touch version is available in black.




BOLT SHROUD



TIKKA **ACCESSORY BAG**

You'll recognize the accessories from this package.



RECOIL LUG

This extra-strong lug has minimal deformation – even with larger calibers. Also compatible with T3 models.



FRONT GRIP

Easily widen the fore-end of your stock. Available color variations: desert, grey, orange and green. Soft-touch version is available in black.

THE **OPTILOCK**TM **IDEA**

The Optilock™ mounts keep the scope aligned and secured during all circumstances.

The scope is mounted with the revolutionary ball-bearing rings. Unlike conventional mounts, the Optilock's polymer rings evenly distribute the clasping force along the shaft of the scope, protecting your optics. The limiter pin in the mount base and the limiter pin slot on the receiver enable fast, secure and accurate mounting of the scope.

Optilock bases and rings are machined from a solid block of steel creating a high strength and dimensionally accurate product.

The rings are made of steel and have concave Four special screws inner surfaces evenly support the upper ring unit Copolymer rings surround the scope tube and evenly distribute the clasping force Steel rings are fastened to the base from below Solid steel base fits the receiver perfectly for guaranteed accuracy



Rings of different height and diameter are available (please see sights to suit each shooter and scope model.



receiver's surface in front. This ensures correct remounting of the scope and OptilockTM unit, without requiring new sight adjustments if the unit is removed and repositioned.

RING MOUNTS

Tube diameter (d) mm	Mount height (H)	mm	Scope outer max.dia. (D) mm
25.4 / 26	Low	27	4856
25.4 / 26	Low	27	4856
30	Low	29	5260
30	Low	29	5260
	diameter (d) mm 25.4 / 26 25.4 / 26 30	diameter (d) mm height (H) 25.4 / 26 Low 25.4 / 26 Low 30 Low	diameter (d) mm height (H) 25.4 / 26 Low 27 25.4 / 26 Low 27 30 Low 29

MOUNT RINGS FOR MOUNT BASES

1 XTRA LO	25.4 / 26	Extra Low	28.5	5159	
1" XTRA LO S/S	25.4 / 26	Extra Low	28.5	5159	_
1" LO	25.4 / 26	Low	30.5	5563	_
1" LO PHO	25.4 / 26	Low	30.5	5563	
1" LO S/S	25.4 / 26	Low	30.5	5563	
1" ME	25.4 / 26	Medium	35.5	6573	
1" ME PHO	25.4 / 26	Medium	35.5	6573	
1" ME S/S	25.4 / 26	Medium	35.5	6573	
1" HI	25.4 / 26	High	40.5	7583	
30 mm XTRA LO	30	Extra Low	30.5	5563	
30 mm XTRA LO S/S	30	Extra Low	30.5	5563	
30 mm LO	30	Low	32.5	5967	
30 mm LO PHO	30	Low	32.5	5967	
30 mm LO S/S	30	Low	32.5	5967	
30 mm ME	30	Medium	36.5	6775	_
30 mm ME PHO	30	Medium	36.5	6775	_
30 mm ME S/S	30	Medium	36.5	6775	
30 mm HI	30	High	40.5	7583	_
					_

Without Optilock system

34 mm LO PHO (steel ring)	34	Low	35.0	69
34 mm LO PHO (steel ring)	34	Medium	43.0	85

MOUNT BASES FOR MOUNT RINGS

for Tikka models M55/65, M558/658, M590/690, M595/695 and Tikka T3

Weaver for Picatinny and Weaver rails







A Beretta Group Company Sako Limited P.o.box 149 Fi-11101 Riihimäki Finland www.sako.fi www.tikka.fi